Foster
Italian excellence since 1973

ALL APPLIANCES COMPLIANT TO CERTIFICATION STANDARDS FOR US AND CANADA

ALL SINKS COMPLIANT TO IAPMO STANDARDS

Index

Foster 5

American Collection 11

Sinks 18

Faucets 40

Dishwasher 43

Cooktops 45

Ovens 59

Hoods 73

Rangetops 83

Worktops 91

Ranges 95

Complements 101

Foster

Italian excellence since 1973

The Foster World

Our Mission

Since the beginning, we have created solutions for kitchen environments according to our criteria: high performance with attention to energy efficiency, ease of use enhanced by our design research, and advanced technology as a result of our vast experience.

This is the Foster philosophy, which has inspired each of our products for the last 40 years.

A value recognizable today in every product of our range.

The values of our land

Founded in 1973, Foster is an Italian company that operates worldwide. It is an integrated organization, with four highly specialized manufacturing plants, operating on different products and processes.

Foster's headquarters is in the historic "Terranova palace" in Brescello, a small village known for movies starring Don Camillo and Peppone. Brescello is a symbol of the countryside of northern Italy.

We breathe passion for beautiful things, respect for the environment that surrounds us, and a love for quality, hence our commitment to excellent service to meet the demands of a market increasingly sensitive to technological development and environmental protection.

Foster

Italian excellence since 1973

Terranova palace is not just a building, it is the expression of Foster's love for art. In 1988, after the renovations to the former 17th century Franciscan convent. Foster established its headquarters here.

The restoration renovated the splendor to the prestigious frescoes and unearths ancient historical artifacts. The Terranova palace is a cultural heritage that the company wants to give back to the community in all its history, beauty and magnificence.

Foster was among the first Italian companies to join projects for environmental preservation and protection, and the building is now under the protection of the "Monuments and Fine Art Office".

A daily choice of Quality

PROGRESS AND RESPECT FOR THE ENVIRONMENT

Energy efficiency and advanced technology are two cornerstones of the Foster research common to the development of both products and processes.

OUR CHOICE

Besides using advanced production technologies, Foster pays handcrafted attention to detail: every standard product is custom-made.

An all-Italian experience

Designers of the most renowned kitchens and starred Chefs are the first stakeholders and the best consultants of all our projects, where aesthetics and functionality merge together in a perfect blend.
A natural process that begins from a cooking technique is accomplished through the kitchen design.

Design and food. Beauty and passion.
These are the cornerstones of our culture, which Foster incorporates and interprets with a strong Italian spirit.

American Collection

The following proposals are the result of careful research, designed and studied specifically for the North American market.
We wanted to maintain the classic American kitchen design and add our typically Italian sensibility.
A blend that includes all the cornerstones that characterize Foster: design, functionality, and performance, which we present with pride and satisfaction.

Foster
Italian excellence since 1973

Foster
Italian excellency since 1973

American Collection

The Foster freestanding products are appliances built for professional performance and constructed with tailored care for every detail and finish.

Consistent with the Foster philosophy, the Foster Milano range is paired with a washing center with the same dimensions, materials, and finish that gives harmony and style to the entire kitchen.

Foster

Italian excellency since 1973

American Collection

The Foster products range from cooking to washing, with a single coherent mood that gives harmony, consistency, and ample functionality.

Foster

Italian excellence since 1973

American Collection

The simple and elegant design characterizes the kitchen environment, without constraint, integrating perfectly with both minimalist and classical designs.

Sinks

Foster

Italian excellence since 1973

Sink Features



Foster brushed finish

The exclusive finishes on Foster steels are the result of diligent research, the aim being to achieve the perfect combination between good looks and functionality.
A distinctive feature, a true trademark that makes our products stand out for the ease of which they can be cleaned.

Sturdy sink

The quality of Foster sinks is also in the thickness.
All models use top grade stainless steel to manufacture sturdy sinks with an elegant design.

Diamond shaped bottom

The water drainage on the base of the sink is a minimalist, but original design with perfectly square edges and a diamond shaped bottom that allows perfect flow of water.

Accessories

The concept of functionality is a key element for Foster.
Each sink is accompanied by a series of practical and elegant accessories that transform the sink into a functional working center.

Sink Features

Faucets

Foster offers a varied collection of faucets, including models made in AISI 316 stainless steel, that guarantee a perfect resistance to corrosion, maximum hygiene, safety, and give an value to the wide range of sinks.

Matching

Foster is one of the few companies worldwide that manufactures both sinks and hobs, allowing us to offer a perfect match in shape and design between the cooker hob and the sink; for kitchens in which every detail counts.

Flush-mount

The product is installed in a 1 mm deep recess, thus being perfect flush with the worktop.
Alternatively, it can be installed over the counter as well.

Undermount

The classy and contemporary way to install a sink, proposed here in a wide range of different models and designs.

Leonardo Sink Features

Functional design

The new black grids make a strong statement of design and functionality. They are made of a new, completely natural material, whose sober elegance perfectly complements the professional character of the Leonardo sinks. They are also hygienic, very light, resistant, easy to clean, and 100% ecological. It is a choice of environmental awareness and respect for nature.

Three ingenious steps

The Leonardo sink has an ingenious design that makes it simple to use a large set of optional accessories. Thanks to the three supporting steps, the accessories rest on different levels. On the first supporting step, the top-most one, the innovative Black grids slide, creating a large and practical surface to rinse food and crockery. Once the preparations are complete, the grids can be used to completely close the sink, hiding the bowls and ensuring a perfect order in the kitchen.

A complete working station

The second supporting step is meant to support and allow the sliding of a complete combination of accessories, which make some operation practical and safe: rinse, drain, slice, grate... everything can be done inside the sink, avoiding ruining or staining the precious surface of your kitchen. The Leonardo sink thus becomes a complete working station.

Smart and hygienic

The third supporting step is on the bottom of the quadra bowl. On this step rest the Black grids when placed on the bottom of the bowl, making it possible to rinse foodstuffs without their coming in contact with the bottom of the sink, which may be dirty. They can also support pots and dishes, preventing the scratching of the steel surface of the sink underneath.

Leonardo

Sink Features

Innovative engineering and design, unique details, carefully selected materials, artful artisanship, and technologically advanced manufacturing, define Leonardo sink and its accessories.

The accessories are designed to slide over two independent rails on the top of the sink, or to rest over the bottom thanks to one-centimeter-level; this system prevents food from touching the bottom of the sink.

Therefore, whatever you are preparing, from sliced vegetables to grated cheese, from pasta to rinsing small fruit, or washing dishes, the Foster kit of accessories makes everything easy and your kitchen will always be elegant and clean.

Leonardo sinks

UM

Accessories: B0 B1 B2 M6 P3 L4 O2 N3 P2* T2* Z2*



Black grids configurations edge positioning

Black grids configurations bottom positioning

Cut-out



Leonardo sink
1016 660

AISI 304 Stainless steel - Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 39 39/64" x 19 19/64"
2 bowls: 18 3/16" x 15 3/4"
Cut out: 38 7/64" x 17 51/64" template provided
Waste fitting: 3 1/2" - with stainless steel basket



UM

Accessories: B0 B1 B2 M6 P3 L4 O2 N3 P2* T2* Z2*

Black grids configurations edge positioning

Black grids configurations bottom positioning

Cut-out



Leonardo sink
1015 660

AISI 304 Stainless steel - Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 39 39/64" x 19 19/64"
Bowl: 38 7/64" x 15 3/4"
Cut out: 38 7/64" x 17 51/64" template provided
Waste fitting: 3 1/2" - with stainless steel basket



Leonardo sinks

UM

Accessories: B0 B1 B2 M6 P3 L4 O2 N3 P2* T2* Z2*



Black grids configurations edge positioning



Black grids configurations bottom positioning

Cut-out



Leonardo sink
1014 660

AISI 304 Stainless steel - Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 32 19/32" x 19 19/64"
Bowl: 31 7/64" x 15 3/4"
Cut out: 31 7/64" x 17 51/64" template provided
Waste fitting: 3 1/2"- with stainless steel basket



UM

Accessories: B0 B1 B2 M6 P3 P4 L4 O2 N3 P2* T2* Z2*

P4 grid *P4+P3 grids*

Black grids configurations edge positioning



P3 grid

Black grids configurations bottom positioning

Cut-out



Leonardo sink
1021 660

AISI 304 Stainless steel - Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 31 1/2" x 19 19/64"
Bowl: 30" x 15 3/4"
Cut out: 30" x 17 51/64" template provided
Waste fitting: 3 1/2"- with stainless steel basket



Leonardo sinks

UM

Accessories: B0 B1 B2 M6 P3 L4 O2 N3 P2* T2* Z2*

Black grids configurations edge positioning

Black grids configurations bottom positioning

Cut-out



Leonardo sink
1013 660

AISI 304 Stainless steel - Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 19 11/16" x 19 19/64"
Bowl: 18 3/16" x 15 3/4"
Cut out: 18 3/16" x 17 51/64" template provided
Waste fitting: 3 1/2"- with stainless steel basket



Accessories

B0 8100 620
4 spice holder set

B1 8100 621
3 bottle holder set

B2 8100 622
3 s.steel container holder set

M6 8642 000



P3 8100 600



P4 8100 601

L4 8631 300

O2 8153 100

Z2 * 8151 000

N3 8644 101

P2 * 8159 101

T2 * 8100 303

* To use only with N3 chopping board

Foster
Italian excellence since 1973

Armored Sinks

Accessories

1 8644 034

T 8100 154

Z 8154 000



2 8100 401
Grid 13”x18”



3 8100 402
Grid 17”x18”



4 8100 403
Grid 30”x18”

Foster
Italian excellence since 1973

Armored Sinks

UM

Cut-out



Armored sink
1231 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 37 1/4" x 19 1/2"
2 bowls: 2 x (17"x 18")
Cut-out: 35 1/4" x 18 template provided
Waste fitting: 3 1/2"- with stainless steel basket

Accessories: 1 T Z 3



UM

Cut-out



Armored sink
1230 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 29 1/4" x 19 1/2"
Bowl: 17" x 18" + 9" x 18"
Cut-out: 27 1/4" x 18" template provided
Waste fitting: 3 1/2" - with stainless steel basket

Accessories: 1 T Z 3



Armored Sinks

UM

Cut-out



Armored sink
1237 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 32” x 20”
Bowl: 30” x 18”
Cut-out: 30" x 18" template provided
Waste fitting: 3 1/2” - with stainless steel basket

Accessories: 1 T Z 4



UM

Cut-out



Armored sink
1238 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 26” x 20”
Bowl: 24” x 18”
Cut-out: 24" x 18" template provided
Waste fitting: 3 1/2” - with stainless steel basket

Accessories: 1 T Z 3



Armored Sinks

UM

Cut-out



Armored sink
1236 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 19" x 19 1/2"
Bowl: 17" x 18"
Cut-out: 17" x 18" template provided
Waste fitting: 3 1/2" - with stainless steel basket

Accessories: 1 T Z 3



UM

Cut-out



Armored sink
1235 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 15" x 19 1/2"
Bowl: 13" x 18"
Cut-out: 13" x 18" template provided
Waste fitting: 3 1/2"
with stainless steel basket

Accessories: 1 T Z 2



UM

Cut-out



Armored sink
1234 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 11" x 19 1/2"
Bowl: 9" x 18"
Cut-out: 9" x 18" template provided
Waste fitting: 3 1/2"
with stainless steel basket



Foster
Italian excellence since 1973

Michelangelo sinks

Minimalist but original design with perfectly square edges and diamond-shaped bottom that allows perfect flow of water.

The inclined containing area enriches the bowl with an original and functional motif.

A rich set of accessories transforms Michelangelo sinks in a comprehensive and practical working center.

Accessories

M4 8656 001

N4 8644 100



T2 8100 303

P2 8159 101

Z2 8151 000

Foster
Italian excellence since 1973

Michelangelo sinks

FM OM

Cut-out



Michelangelo sink
1419 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Flush-mount
Dimensions: 31 31/32" x 18 57/64"
Bowl: 26 27/32" x 15 3/4"
Overmount (OM) cut out: 31 29/64" x 18 25/64"
Flush-mount (FM) cut-out: on web site
Waste fitting: 3 1/2" SPACE - with satin steel cover

Accessories: M4 N4 T2 P2 Z2



UM

Cut-out



Michelangelo sink
1413 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 35 1/8" x 18 4/8"
Bowl: 30" x 15 6/8"
Cut-out: see template provided or drawing on web site
Waste fitting: 3 1/2" SPACE - with satin steel cover

Accessories: M4 N4 T2 P2 Z2



Foster
Italian excellence since 1973

Michelangelo sinks

UM

Cut-out



Michelangelo sink
1417 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 31 31/32" x 18 1/2"
Bowl: 26 27/32" x 15 3/4"
Cut-out: see template provided or drawing on web site
Waste fitting: 3 1/2" SPACE - with satin steel cover

Accessories: M4 N4 T2 P2 Z2



UM

Cut-out



Michelangelo sink
1415 660 - finishing: Satin finish
1415 680 - finishing: Vintage

Thickness: 16 Gauge
Inset: Undermount
Dimensions: 34 21/64" x 17 44/64"
Bowl: 30" x 15 6/8"
Cut-out: 33 5/32" x 16 17/32" template provided
Waste fitting: 3 1/2" SPACE - with satin steel cover

Accessories: M4 N4 | T2 P2 Z2 only with N4



Michelangelo sinks

UM

Cut-out



Michelangelo sink

1418 660 - finishing: Satin finish
1418 680 - finishing: Vintage

AISI 304 Stainless steel
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 31 3/16" x 17 23/32"
Bowl: 26 27/32" x 15 3/4"
Cut-out: 30" x 16 17/32" template provided
Waste fitting: 3 1/2" SPACE - with satin steel cover

Accessories: M4 N4 | T2 P2 Z2 only with N4



UM

Cut-out



Michelangelo sink

1414 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 23 1/8" x 18 4/8"
Bowl: 18" x 15 6/8"
Cut-out: see template provided or drawing on web site
Waste fitting: 3 1/2" SPACE - with satin steel cover

Accessories: M4 N4 T2 P2 Z2



Michelangelo sinks

UM

Cut-out



Michelangelo sink
1416 660

AISI 304 Stainless steel
Satin finish
Thickness: 16 Gauge
Inset: Undermount
Dimensions: 22 21/64" x 17 46/64"
Bowl: 18" x 15 6/8"
Cut-out: 21 10/64" x 16 34/64" template provided
Waste fitting: 3 1/2" SPACE - with satin steel cover

Accessories: M4 N4 | T2 P2 Z2 only with N4



Tornado Sinks

UM

Tornado sink
1079 960

AISI 304 Stainless steel
Satin finish
Thickness: 18 Gauge
Inset: Undermount
Dimensions: 32 1/8" x 20 5/8"
Bowl: 28 47/64" x 17 21/64"
Cut-out: see template provided or drawing on web site
Waste fitting: 3 1/2"
with stainless steel basket



Accessories

H 8659 111

U 8100 111

O 8152 100

Q 8151 100

Cut-out



Foster
Italian excellence since 1973

KE Sinks

UM

KE sink
2157 863

AISI 304 Stainless steel
Satin finish
Thickness: 18 Gauge
Inset: Undermount
Dimensions: 29 17/32" x 17 21/64"
Bowl: 27 61/64" x 15 3/4"
Cut-out: see template provided or drawing on web site
Waste fitting: 3 1/2"





Accessories

L4 8631 300

N3 8644 101

O2 8153 100

P2 * 8159 101



T2 * 8100 303

Z2 * 8151 000

* To use only with N3 chopping board

Foster
Italian excellence since 1973

Ponza
8497 025 Polished finish

Single lever faucet with rotating barrel and extractable double jet shower

Hole for tap's building-in: ø 1 3/8"
Built-in base: ø 1 31/32"
Rotating angle: 360°
Ceramic disc cartridge
Max worktop thickness: 1 49/64"
Strengthening plate included



Sicilia
8485 005 Polished finish

Single lever faucet with rotating barrel

Hole for tap's building-in: ø 1 3/8"
Built-in base: ø 1 31/32"
Rotating angle: 360°
Ceramic disc cartridge
Max worktop thickness: 1 19/64"
Rear encumbrance of control leverage: 3/8"
Strengthening plate included



Foster
Italian excellence since 1973

Polished finish

Satin finish

Capri

8467 005 Polished finish
8467 105 Satin finish

Single lever faucet with rotating barrel and extractable double jet shower

Hole for tap's building-in: ø 1 3/8"
Built-in base: ø 1 31/32"
Rotating angle: 180°
Ceramic disc cartridge
Max worktop thickness: 1 49/64"
Rear encumbrance of control leverage: 3/8"
Strengthening plate included



Polished finish

Satin finish

Salina

8487 005 Polished finish
8487 105 Satin finish

Single lever faucet with rotating barrel and flexible double jet shower

Hole for tap's building-in: ø 1 3/8"
Built-in base: ø 1 31/32"
Rotating angle: 360°
Ceramic disc cartridge
Max worktop thickness: 1 19/64"
Rear encumbrance of control leverage: 3/8"
Strengthening plate included



Volcano
8467 015 Polished finish

Single lever faucet with rotating barrel
and extractable double jet shower

Hole for tap's building-in: ø 1 3/8"
Built-in base: ø 2 11/64"
Rotating angle: 160°
Ceramic disc cartridge
Max worktop thickness: 2 2/16"
Rear encumbrance of control leverage: 1/16"
Strengthening plate included



Elba
8466 015 Polished finish

Single lever faucet with rotating barrel
and extractable head

Hole for tap's building-in: ø 1 3/8"
Built-in base: ø 1 31/32"
Rotating angle: 140°
Ceramic disc cartridge
Max worktop thickness: 2 11/64"
Rear encumbrance of control leverage: 1/4"



KF60 Dishwasher

Electrical Supply: 115VAC - 60Hz
CSA certified for US & Canada

KF60 fully integrated 24" dishwasher
2970 906

Energy class A+
Washing efficiency: A
Drying efficiency: A
Water consumption: 12 l/cycle

Place-settings capacity: 13
Energy consumption kWh/year: 292
Water consumption l/year: 3360
Program selector: push buttons
Delay timer
Water temperatures: 38°C - 45°C - 50°C - 65°C - 70°C
Half board: distributed/as program

10 washing program: Soak, Crystal, Auto Delicate, Normal, Auto super wash, 6-10 Fast Cycles
Sanitization program
Acoustic signal

Rear foot adjustment
Noise: 49dB



Dishwasher accessories

Stainless steel door panel

finish: Aisi 304 satin-finish

The integrated handle is easy to couple with any kitchen door.

Foster
Italian excellency since 1973

Cooktops

Gas Cooktops Features

The perfect cooker

Large, powerful, functional, beautiful, perfect. Welcome to the new six-burner-hob by Foster Milano. The two wok-burners provide a combined power of 15,500 BTU, while saving 25% of gas.

Foster

Italian excellence since 1973

Gas Cooktops Features

Burners

Foster hobs feature the state-of-art european technology: high efficiency, power, and precise control. The AE dual burner allows ultra-high and ultra-low temperatures thanks to two independent crowns of fire.

Professional grids

All the Foster cooker hobs are equipped with cast-iron grids, a perfect material due to its many properties: high thermal capacity that improves the cooking efficiency; weight that improves safety; sturdiness; easiness to clean.
A continuous platform of cast iron grates make it easy to move large pots and pans.

Metal Knobs

Exclusive and original, the Foster metal knobs are an example of the strength and quality of the materials used.
A distinctive feature shared by all the Foster elements in this collection, form an elegant uniformity in the kitchen.

Safe Cooking

All Foster cooker hobs are equipped with safety valves. These shut off the gas supply very quickly if the flame accidentally goes out.
The utmost freedom of movement it is guaranteed by the electronic under-knob ignition that allows a one-hand movement.

Gas Cooktops Features

Steel loyalist

Foster takes great care to use materials able to provide the best performance. Our entire range is made with AISI 304 - 18/10 and AISI 316 austenitic steels. Thanks to the high percentages of chrome and nickel, they give a particularly bright finish, are extremely sturdy, and absolutely resistant to rust and corrosion.

Designer finishes

The exclusive finishes on Foster steels are the result of painstaking research, the aim being to achieve the perfect combination between good looks and functionality. A distinctive feature and a true trademark that makes our products stand out for the ease of which they can be cleaned.

Foster brushed finish

The steel is treated with special natural fibers that give it the characteristic extrafine satin finish that is highly elegant and functional. This makes the surfaces very smooth and easy to clean.



Vintage finish

An old-fashioned look, along with the convenience of a steel surface that is not afraid of scratches and nicks. The asymmetric brushing obtained with traditional methods simulates the signs of aging and gives the steel a new and original appeal.

Cooktop edges



Flush-mount

FM OM

The flush-mount cooker hobs have no vertical edge, and must be sunk into a recess in the worktop's surface. It can also be installed overmount.

Standard edge

STD

Traditional european built-in with the vertical, 5/16" edge.

Foster Milano Cooktops



FM OM

Foster Milano Cooktop 6b - 46”x22”

7639 900 - Flush-mount

Dimensions: 45 28/64” x 22 3/64”
Overmount (OM) cut out : 44 41/64” x 21 17/64”
Flush-mount (FM) cut-out: on web site
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 64.950 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz



Accessories

9601 727
Cast iron wok support

Cut-out



FM OM

Foster Milano Cooktop 5b - 42”x22”

7638 900 - Flush-mount

Dimensions: 41 37/64” x 22 3/64”
Overmount (OM) cut out : 40 25/32” x 21 17/64”
Flush-mount (FM) cut-out: on web site
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 45.350 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz



Accessories

9601 727
Cast iron wok support

Cut-out



Foster
Italian excellence since 1973

Foster Milano Cooktops



FM OM

Accessories

9601 727
Cast iron wok support

Cut-out



Foster Milano Cooktop 4b - 33”x22”

7637 900 - Flush-mount

Dimensions: 32 18/64” x 22 3/64”
Overmount (OM) cut out : 31 1/2” x 21 17/64”
Flush-mount (FM) cut-out: on web site
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 40.350 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz



FM OM

Accessories

9601 727
Cast iron wok support

Cut-out



Foster Milano Cooktop 4b - 43”x20”

7640 900 - Flush-mount

Dimensions: 42 33/64” x 19 19/64”
Overmount (OM) cut out : 41 47/64” x 18 1/2”
Flush-mount (FM) cut-out: on web site
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 40.350 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz



Foster
Italian excellence since 1973

Professional Cooktop

FM OM | STD

Accessories

8172 000
Cast-iron griddle
17 21/64" x 8 21/32"

9601 668
Wok support

Cut-out OM



Cut-out STD



Professional Cooktop

7245 962 - Flush-mount
7055 962 - Standard edge

Dimensions: Flush-mount 34 3/8" x 20 3/16"
Dimensions: Standard Edge 33 55/64" x 19 11/16"
Overmount (OM) cut out: 33 5/64" x 18 57/64"
Flush-mount (FM) cut-out: on web site
Standard cut out: 33 55/64" x 19 11/16"
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 31,600 BTU total
LP Gas conversion kit included



Foster
Italian excellence since 1973

Quadra Line Cooktop



FM OM

Quadra Line Cooktop

7217 942 - Flush-mount

Dimensions: 54 1/2" x 14"
Overmount (OM) cut out : 53 45/64" x 13 3/16"
Flush-mount (FM) cut-out: on web site
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Two cast iron grid adapters included
Electric under-knob ignition
Gas taps with safety valves
Power: 26,500 BTU total
LP Gas conversion kit included

Cut-out





Foster
Italian excellence since 1973

Foster
Live the Quality

Induction

Extended cooking area

Bridge function allow to associate two zones, forming a single extended cooking zone for pots of large size, or for more than one cooking simultaneously, with maximum exibility in pot positioning.

Slider control

The slider control allows for extremely quick temperature setting: with a light touch of the finger you may select the desired power level on the TOUCH display.

T-chef

Allows to set particular temperatures (melt 70°C/158°F, simmer 94°C/201°F) and keep them constant during cooking. Elaborate preparations can be easily obtained with chef-like results.

- Powerboost
- Independent Timer
- Residual heat light
- Pause
- Security lock
- Overflow detection
- Recall

Foster Milano Induction

FM OM

4 zones size 7x8"
power 1.900-2.200 W (3.400-3.900 Booster)
Electrical supply:
208-240V - 50/60 Hz

Cut-out



Foster Milano Line Induction
7334 945

Dimensions: 36" x 14"
Cut-out: 34 23/32" x 13 37/64"
Induction cooker hob
9 settings plus powerboost
4 slider commands
Bridge function
T-chef function
Pause and Recall
Independent timer
Security lock
Residual heat light
Overflow detection



FM OM

4 zones size 7x8" 1 zone size 7x10"
power 1.900-2.200 W (3.400-3.900 Booster)
1 zone size 7x10"
power 2.400-2.800 W (5.000-5.800 Booster)
Electrical supply:
208-240V - 50/60 Hz

Cut-out



Foster Milano Induction
7390 945

Dimensions: 36" x 20 15/32"
Cut-out: 33 55/64" x 19 19/64"
Induction cooker hob
9 settings plus powerboost
4 slider commands
Bridge function
T-chef function
Pause and Recall
Independent timer
Security lock
Residual heat light
Overflow detection



Foster
Italian excellence since 1973

Foster Milano Induction



FM OM

4 zones size 7x8"
power 2.100 W (3.700 Booster)
Electrical supply:
208-240V - 50/60 Hz

Cut-out



Foster Milano Induction
7371 945

Dimensions: 24" x 20 15/32"
Cut-out: 22 3/64" x 19 19/64"
Induction cooker hob
9 settings plus powerboost
4 slider commands
Bridge function
T-chef function
Pause and Recall
Independent timer
Security lock
Residual heat light
Overflow detection



FM OM

2 zones size 7x8"
power 2.100 W (3.700 Booster)
Electrical supply:
208-240V - 50/60 Hz

Cut-out



Foster Milano Induction
7323 945

Dimensions: 15" x 20 15/32"
Cut-out: 14 11/64" x 19 19/64"
Induction cooker hob
9 settings plus powerboost
2 slider commands
Bridge function
T-chef function
Pause and Recall
Independent timer
Security lock
Residual heat light
Overflow detection



Foster
Italian excellence since 1973

Foster

Italian excellency since 1973

Ovens



XXL chamber capacity

The Milano Ovens have a considerable chamber capacity with six levels of cooking. A valuable practicality for all types of cooking.

Dual Ventilation

The dual fan ventilation provides perfect heat distribution inside the chamber with surprisingly good results, even for more challenging recipes.

Triple asymmetrical lighting

Three lights, placed asymmetrically, provide perfect lighting, whatever cooking level is chosen.

Cooking functions

- Dual convection bake
- Bake
- Keep warm (warm plus)
- Convection broil
- Broil
- Proof warm
- Pizza (lower convection)
- Delicate cooking
- Lights
- Convection roast
- Defrost
- Fast preheating
- Convection Bake
- Ventilated Bake
- Lower Bake

Foster
Italian excellence since 1973

Ovens Features

Telescopic guide

The practicality and accessibility to the cooking chamber are increased with the exclusive supply of full extension telescopic chromed racks.

Pyrolytic cleaning

Pyrolysis is the easiest way to guarantee an oven that is always clean. Once the cleaning cycle is terminated, just use a damp cloth to remove the residue.

Perfect safety

The ability to lock the oven door and the keyboard along with the four glass doors supplied with the oven are the best guarantees for safe and serene use.

Easy cleaning

The Foster Milano oven is supplied with a special anti-fingerprint treatment that makes cleaning the outside of the oven simple and quick.

Meat probe

Experience the precision of professional cooking with our meat probe that measures in real time the core temperature of your food.

Equipment

The Foster Milano ovens are supplied with an extensive series of accessories, which include an enamelled grill set.

Foster Milano Ovens

Foster Milano Single Pyrolytic Stainless Steel oven
7168 900

30” Multifunction pyrolytic oven
Capacity: 4.1 CU.FT
Stainless steel
Satin finish
Dual fan system
Electronic programming
12 cooking function
Pyrolytic self clean
Meat probe temperature control
Electronic temperature regulation
Triple asymmetrical lighting
Automatic fast preheat
Preheat time bar (25%, 50%, 75%, 100%)
Preset/last used temperature memory
Keyboard lock
Child lock door
Sabbath mode
°C/°F degree unit
12/24 hours clock format
Door with quadruple, heat-resistant glass
Door inner side: full glass

Delivered accessories
2 chromed racks
Telescopic chromed rack
Enamelled grill set
Meat Probe
Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz



Accessories



4 9401 506
Pizza plate

Cooking functions

Foster Milano Ovens

Foster Milano Double Pyrolytic Stainless Steel oven
7169 900

30” Multifunction pyrolytic Double oven
Capacity: 4.1 + 4.1 CU.FT
Stainless steel
Satin finish
Dual fan system
Electronic programming
12 cooking function
Pyrolytic self clean function
Meat probe temperature control on upper cavity
Electronic temperature regulation
Triple asymmetrical lighting in each cavity
Automatic fast preheat
Preheat time bar (25%, 50%, 75%, 100%)
Preset/last used temperature memory
Keyboard lock
Child lock door
Sabbath mode
°C/°F degree unit
12/24 hours clock format
Door with quadruple, heat-resistant glass
Door inner side: full glass

Delivered accessories
4 chromed racks
2 telescopic chromed rack
2 Enamelled grill set
Meat Probe
Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz



Accessories



4 9401 506
Pizza plate

Cooking functions

Foster
Italian excellence since 1973

Foster Milano Ovens

Foster Milano Single Pyrolytic Black Mirror oven
7168 906

30” Multifunction pyrolytic oven
Capacity: 4.1 CU.FT
Black Mirror glass finish
Dual fan system
Electronic programming
12 cooking function
Pyrolytic self clean
Meat probe temperature control
Electronic temperature regulation
Triple asymmetrical lighting
Automatic fast preheat
Preheat time bar (25%, 50%, 75%, 100%)
Preset/last used temperature memory
Keyboard lock
Child lock door
Sabbath mode
°C/°F degree unit
12/24 hours clock format
Door with quadruple, heat-resistant glass
Door inner side: full glass

Delivered accessories
2 chromed racks
Telescopic chromed rack
Enamelled grill set
Meat Probe
Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz



Accessories



4 9401 506
Pizza plate

Cooking functions

Foster Milano Ovens

Foster Milano Double Pyrolytic Black Mirror oven
7169 906

30” Multifunction pyrolytic Double oven
Capacity: 4.1 + 4.1 CU.FT
Black Mirror glass finish
Dual fan system
Electronic programming
12 cooking function
Pyrolytic self clean function
Meat probe temperature control on upper cavity
Electronic temperature regulation
Triple asymmetrical lighting in each cavity
Automatic fast preheat
Preheat time bar (25%, 50%, 75%, 100%)
Preset/last used temperature memory
Keyboard lock
Child lock door
Sabbath mode
°C/°F degree unit
12/24 hours clock format
Door with quadruple, heat-resistant glass
Door inner side: full glass

Delivered accessories
4 chromed racks
2 telescopic chromed rack
2 Enamelled grill set
Meat Probe
Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz



Accessories



4 9401 506
Pizza plate

Cooking functions

Foster Milano Microwave Ovens

Cooking functions

Foster Milano Stainless Steel Combi Micro
7104 920 Combi micro oven
8**800 018** Side trim panel for 30" width installation

Electric convection + microwave + grill oven
Stainless steel Satin finish
6 cooking Functions
Electronic control Type
Temperature control
Digital touch control
Usable capacity 1,34CuFt
Cavity finish: stainless steel
2 Rack positions
Halogen lighting
Microwave power levels: 0/200/400/600/800/1000 W
Double glass
Full glass inner side
Satin finish Stainless steel handle
Keyboard lock
Temperature unit: °F
11 Auto cooking programs
Automatic defrosting by time and weight

Delivered accessories
1 turntable plate
1 rectangular glass tray
1 rectangular rack

Electrical Supply: 240 V - 60Hz
Power rating: 3800 W



Thanks to the three different principles of cooking, Foster Milano combi-micro is a really complete oven: microwave, convection, and grill are combined into an amazing set of programs.

The cooking chamber is fully in stainless steel and equipped with revolving plate, Pyrex casserole, and steel grid.

Foster
Italian excellence since 1973

Foster Milano Microwave Ovens

Cooking functions

Foster Milano Black Mirror Combi Micro

7104 926 Combi micro oven
8800 618 Side trim panel for 30" width installation

Electric convection + microwave + grill oven
Black Mirror glass finish
6 cooking Functions
Electronic control Type
Temperature control
Digital touch control
Usable capacity 1,34CuFt
Cavity finish: stainless steel
2 Rack positions
Halogen lighting
Microwave power levels: 0/200/400/600/800/1000 W
Double glass
Full glass inner side
Satin finish Stainless steel handle
Keyboard lock
Temperature unit: °F
11 Auto cooking programs
Automatic defrosting by time and weight

Delivered accessories
1 turntable plate
1 rectangular glass tray
1 rectangular rack

Electrical Supply: 240 V - 60Hz
Power rating: 3800 W



The various functions allow for a wide range of possibilities, both for cooking and for re-heating pre-cooked food.

The FL combi oven, thanks to the presence of convection cooking, is a complete oven, and also wonderful to prepare pastries.

Foster
Italian excellence since 1973

Professional ovens

Professional pyrolitic oven 30x30"
7171 900

Antitouch - Satin finish St. Steel
Eight Cooking Functions
Electronic/Knobs Control
Pyrolytic self clean
Door lock
°C/°F Temperature setting
7 Cooking Functions
Usable capacity 106 litres - 3,75 CuFt
Dark gray pyrolytic enamel cavity finish
Six Rack positions
Triple asymmetrical halogen (20W) lighting
Door with quadruple, heat-resistant glass
Satin finish Stainless steel handle

Delivered accessories
1 Chromed rack
1 Enamelled tray
1 Antisplash

Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz



Accessories



4 9401 506
Pizza plate

Cooking functions

Foster
Italian excellence since 1973

Professional ovens

Professional multifunction oven 30x24"
7172 900

Antitouch - Satin finish St.Steel finishing
Eight cooking Functions
Knobs/Electronic Control
7 Cooking Functions:
Usable capacity 3,00 CuFt
Black enamel cavity finish
Four Rack positions
Double asymmetrical halogen (20W) Lighting
Door with triple, heat-resistant glass
Satin finish Stainless steel handle

Delivered accessories
1 Chromed rack
1 Enamelled tray
1 Antisplash

Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz



Accessories



4 9401 506
Pizza plate

Cooking functions

Foster
Italian excellence since 1973

Professional ovens

Professional multifunction oven 24x24"
7173 900

Antitouch - Satin finish St.Steel Finishing
Seven cooking Functions
Knobs /Electronic Control
7 Cooking Functions
Usable capacity 2,3 CuFt
Dark gray pyrolytic enamel cavity finish
Five Rack positions
Circle halogen (20W) lighting
Door with triple, heat-resistant glass
Full glass Inner side door
Satin finish Stainless steel handle

Delivered accessories
1 Chromed rack
1 Enamelled tray

Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz



Accessories



4 9401 506
Pizza plate

Cooking functions

Foster
Italian excellence since 1973

Ovens accessories

Refractory plate 22" 7/16 x 13" 31/32
9401 506

Plate in refractory material with high heat capacity giving a natural cooking process.
Pizzas and focacce cook just like in a wooden oven.

Foster
Live the Quality

Superior ventilation

High-efficiency motors and our attention to manufacturing details determine higher ventilation performances.

High quality materials

The Foster hoods distinguish themselves for reliability and robustness thanks to the first quality materials and components used, which allow clients to choose a selection of products that combine design and functionality.

Low noise level

Foster uses high quality motors, which allow high elevated flow rates and low noise levels.

Hoods

Hoods

Cucinotta Hood

Cucinotta hood design is perfectly matched with Milano ranges and rangetops

Accessories:
charcoal filters kit n. 1 x 9700720

Wall-mounted suction hoods
2463 900 - 48”

Satin finish AISI 304 stainless steel
Telescopic chimney
Grease filter: commercial style baffle filters
Optional charcoal filter
Lighting: 3x20W halogen lamps
Four Speed functioning
Delay off timer
Air flow rate: 900 CFM
Pressure: 580 Pa
Noise level: 59 dBA
Electrical Supply: 120VAC - 60Hz



Foster
Italian excellence since 1973

Hoods

Milano Island

Accessories:
charcoal filters kit-
36" hood - n. 1 x 9700901
48" hood - n. 2 x 9700901

Island suction hoods
2454 901 - 36”
2455 901 - 48”

Satin finish
Telescopic chimney
Grease filter in anodized aluminum (5+1 layers)
Optional charcoal filters
Lighting: 4x2.1 W Led spotlight - 4000°K
Four Speed functioning
Delay off timer
Aluminum die-cast motor housing
Air flow rate: 600 CFM
Pressure: 680 Pa
Noise level: 64 dBA/4.9 sones
Electrical Supply: 120VAC - 60Hz



Milano Wall

Accessories:
charcoal filters kit-
30" hood - n. 1 x 9700901
36" hood - n. 1 x 9700901
48" hood - n. 1 x 9700901

Wall-mounted suction hoods
2456 911 - 30"
2456 901 - 36”
2457 901 - 48”

Satin finish
Telescopic chimney
Grease filter in anodized aluminum (5+1 layers)
Optional charcoal filters
Lighting: 2x2.1W Led spotlight - 4000°K
Four Speed functioning
Delay off timer
Aluminum die-cast motor housing
Air flow rate: 600 CFM
Pressure: 680 Pa
Noise level: 64 dBA/4.9 sones
Electrical Supply: 120VAC - 60Hz



Milano Gran Chef

Accessories:
charcoal filters kit-
36" hood - n. 1 x 9700900
48" hood - n. 2 x 9700901

Wall-mounted professional suction hoods

2460 911 - 36”
2460 901 - telescopic chimney for 36” model
2461 911 - 48”
2461 901 - telescopic chimney for 48” model

Satin finish
Grease filter: commercial style baffle filters
Optional charcoal filters
Lighting: 48” model - 4x2.1W Led spotlight - 4000°K
36” model - 3x2.1W Led spotlight - 4000°K
Four Speed functioning
Delay off timer
EBM Dual Motor (Duct size 8”)
Air flow rate: 1100 CFM
Pressure: 800 Pa
Noise level: 66 dBA/5.1 sones
Motors Top or Back vented
Chimney not included (optional)
Electrical Supply: 120VAC - 60Hz



Foster
Italian excellence since 1973

Cuneo Hood 36

Accessories:
charcoal filters kit- n. 1 x 9700709

Wall-mounted suction hoods
2462 910 - 36”
2462 902 - telescopic chimney
Satin finish
Grease filter in anodized aluminum
Optional charcoal filters
Lighting: 2x20W halogen lamps
Four Speed functioning
Delay off timer
Air flow rate: 600 CFM
Pressure: 480 Pa
Noise level: 59 dBA
Electrical Supply: 120VAC - 60Hz



Cuneo Hood 30

Accessories:
charcoal filters kit- n. 1 x 9700709

Wall-mounted suction hoods
2462 900 - 30”
2462 901 - telescopic chimney
Satin finish
Grease filter in anodized aluminum
Optional charcoal filters
Lighting: 2x20W halogen lamps
Four Speed functioning
Delay off timer
Air flow rate: 600 CFM
Pressure: 480 Pa
Noise level: 59 dBA
Electrical Supply: 120VAC - 60Hz



FLY 60″

Accessories:
charcoal filters kit - n. 3 x 9700901

Ceiling suction hoods
2459 911

External motor required (see page 81)
Satin finish
Grease filter in anodized aluminum (5+1 layers)
Dimension: 59 1/16" x 39 3/8"
cut out: create a false ceiling with a niche
of 57 11/16" x 38" x 10 5/8"
Lighting: 4x2.1W Led spotlight - 4000°K
Remote control
Electrical Supply: 120VAC - 60Hz



FLY 44″

Accessories:
charcoal filters kit - n. 2 x 9700901

Ceiling suction hood
2459 921

External motor required (see page 81)
Satin finish
Grease filter in anodized aluminum (5+1 layers)
Dimension: 43 5/16" x 27 9/16"
cut out: create a false ceiling with a niche
of 41 15/16" x 26 3/16" x 10 5/8"
Lighting: 4x2.1W Led spotlight - 4000°K
Remote control
Electrical Supply: 120VAC - 60Hz



Mistral

Accessories:
charcoal filters kit - 9700901

Ceiling suction hoods
2464 900 - satin finish stainless steel

External motor required (see page 81)
Dimension: 35 7/16” x 17 21/64”
cut out: 41 15/16” x 26 3/16”
Lighting: 2x6.5W LED Strip
Remote control
Four Speed functioning
Delay off timer
Electrical Supply: 120VAC - 60Hz



Mistral White

Accessories:
charcoal filters kit - 9700901

Ceiling suction hoods
2464 950 - white painted steel

External motor required (see page 81)
Dimension: 35 7/16” x 17 21/64”
cut out: 41 15/16” x 26 3/16”
Lighting: 2x6.5W LED Strip
Remote control
Four Speed functioning
Delay off timer
Electrical Supply: 120VAC - 60Hz



Hoods

Quadra Slim

Accessories:
charcoal filters kit- 9700902

Built in suction hood
2458 910 - 26 21/32" x 10 1/4"

Satin finish • Grease filter: commercial style baffle filters • Extractable oil collector • Optional charcoal filters • Lighting: 2x20W dichroic lamps • Four Speed functioning • Delay off timer • Cut Out: 26 57/64" x 10 14/32" • Aluminum die-cast motor housing • Air flow rate: 600 CFM • Pressure: 620 Pa • Noise level: 63 dBA/4.9 sones • Electrical Supply: 120VAC - 60Hz



Quadra

Accessories:
charcoal filters kit - 9700900

Built in suction hood
2458 901 - 33 3/4" x 16

Satin finish • Grease filter: commercial style baffle filters • Optional charcoal filters • Lighting: 2x4W Led spotlight - 5000°K • Four Speed functioning- Delay off timer • Cut Out: 32 13/32" x 16 3/16" • EBM Dual Motor (Duct size 8") • Air flow rate: 1100 CFM - Pressure: 800 Pa • Noise level: 66 dBA/5.1 sones • Electrical Supply: 120VAC - 60Hz



Quadra LED

Accessories:
2 charcoal filters - 33" hood - 9700721
2 charcoal filters - 20" hood - 9700722

Built in suction hood
2458 921 - 33"
2458 931 - 20"

Satin finish • Grease filter: commercial style baffle filters • Optional charcoal filters • Lighting: Led Bar 4200°K (34"-10.5W / 20" 6.5W) • Four Speed functioning • Delay off timer • Cut Out: 33" version: 32 7/8" x 10 14/32" - 20" version: 19 19/32" x 10 14/32" • EBM motor • Top / Back vented motor • Air flow rate: 600 CFM • Pressure: 650 Pa • Noise level: 50 dBA• Electrical Supply: 120VAC - 60Hz



Foster
Italian excellence since 1973

Ghost 48”

Table suction hood
2451 946 - 48”

External motor required
Satin finish AISI 304 Stainless Steel + Black glass
dimensions: 46 1/4” x 4 23/32”
2 Grease filter in anodized aluminum.
Optional charcoal filters
Lighting: 1x15.5 W LED Strip
Four Speed functioning
Delay off timer
Overmount installation Cut Out: 44 61/64” x 3 15/16”
Flush-mount installation Cut Out : see drawing

Electrical Supply: 120VAC - 60Hz

Accessories:
charcoal filters kit- 9700723

Cut-out





* accessory outlet Ø 7 7/8"

Remote motors

Motor for indoor installation
2459 941

- motor 600CFM aluminum die-cast motor housing
- pressure 680Pa
- noise level 64dBA
- air inlet 5 29/32” round



Motor for outdoor installation
2459 930

- motor 1100CFM - EBM
- absorption 420W
- pressure 920Pa
- noise level 65dBA
- air inlet da 8” in 7 7/8” round



Rangetops

Foster

Italian excellency since 1973

Gas Rangetops Features

Professional cooking

Foster's Rangetops bring a professional look to the cooking area. Their steel elegance grants a remarkable visual impact, whatever the style and materials of the kitchen.

XXL cast iron grids

Performance and practicality are the main features of the Foster Milano Rangetop. The weighty enamelled cast iron grid has extraordinary dimensions, with a working surface up to 50% bigger compared to a normal domestic cooker hob. It is now possible to use all the burners at the same time, even with large pots.

An ergonomic control panel

The frontal position of the knobs, due to the inclination of the control board, guarantees an everyday practicality. Their generous size and original shape guarantee an easy and safe grip. The under-knob ring is not only a fine stylistic detail, but also of great help when cleaning the hob.

Power and efficiency

The last generation AE burners (high efficiency) are efficient and powerful, providing more than 25% energy saving compared to standard burners. All Rangetop models are designed with at least one wok Dual burner of 15.500 Btu/h and the six burner model has even two wok burners. The Dual burners system, or twin-use, offers the possibility to ignite only the inner crown, to heat a small coffee pot or pan, or both crowns, using only one knob.

Gas Rangetops Features

Versatile installation

The Foster Rangetop offers a great versatility of installation, it can be built-in in different ways between the kitchen worktops, both in full continuity with other surfaces, or marking a discontinuity to give greater emphasis to its steel structure. Alternatively, the Rangetop can even be simply placed on top of the kitchen counter, in particular, the four-burner-in-line model 3164 900.

Fully equipped

The Foster Milano Rangetop with the in-line burners is also available with an elegant “back shelf” on which the most commonly used products can be stored: salt, spices, and oil can always be within reach (ref. 3154 900).

How to install Rangetops cooker hobs







1. Sit-up installation on the worktop
2. Sit-up installation on the cabinets and protruding over the worktop
3. Built-in installation flush with the worktop

Foster Milano Rangetops

Foster Milano Rangetop 6b - 48” x 27”
3166 900

Dimensions: 47 7/8” x 27”
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 64.950 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz

Cut-out





Accessories

9601 727
Cast iron wok support

Foster Milano Rangetop 4b - 48” x 27”
3154 900

Dimensions: 47 7/8” x 27”
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 39.600 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz

Cut-out





Accessories

9601 727
Cast iron wok support

Foster Milano Rangetops

Foster Milano Rangetop 4b - 48” x 20”
3164 900

Dimensions: 47 7/8” x 19 44/64”
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers.
Electric under-knob ignition
Gas taps with safety valves
Power: 39.600 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz



Cut-out



Accessories

9601 727
Cast iron wok support

Professional Rangetop

Professional Rangetop 5b - 36”x 27”
3169 900

Dimensions: 35 55/64” x 27”
AISI 304 Stainless steel
Satin finish
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 31.600 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz



Cut-out



Accessories

8172 000
Cast-iron griddle
17 21/64" x 8 21/32"

9601 668
Wok support

Induction Rangetops

Foster Milano Induction Rangetop 48” x 27”

3170 900

AISI 304 Stainless steel
Satin finish
Induction cooker hob:
9 settings plus powerboost; 5 slider commands
Bridge function; T-chef function; Pause and Recall
Independent timer; Security lock; Residual heat light
Overflow detection
4 zones size 7x8″
power 1.900-2.200 W (3.400-3.900 Booster)
1 zone size 7x10″
power 2.400-2.800 W (5.000-5.800 Booster)
Electrical supply: 208-240V - 50/60 Hz

Accessories

5 8210 008
Induction Pro pot set

Cut-out





Foster Milano Induction Line Rangetop 48” x 27”

3171 900

AISI 304 Stainless steel
Satin finish
equipped back channel with 2 stainless steel containers and two bottle holders
Induction cooker hob, dimensions: 36” x 14”
9 settings plus powerboost; 4 slider commands
Bridge function; T-chef function; Pause and Recall
Independent timer; Security lock; Residual heat light
Overflow detection
4 zones size 7x8″
power 1.900-2.200 W (3.400-3.900 Booster)
Electrical supply: 208-240V - 50/60 Hz

Accessories

5 8210 008
Induction Pro pot set

Cut-out





Foster
Italian excellence since 1973

Foster Milano Wash Station

Accessories:

M4 N4 P2* T2* Z2*

Cut-out



Foster Milano Wash Station - 48” x 27”
3153 900



Accessories

M4 8656 001

N4 8644 100

P2 * 8159 101

T2 * 8100 303

Z2 * 8151 000

* To use only with N4 chopping board

Foster
Italian excellence since 1973

Worktops

Tailor-made Worktops

Tailor-made

Tailor-made worktop solutions have always been a distinctive feature of Foster. Each custom-made worktop is a unique artifact, thanks to variations and combinations of different surface finishes, structural reinforcement alternatives and a full range of weldable sinks and hobs. The worktops shown on this catalogue are standard and available upon request. For any other worktop layout or configuration, please contact us and we will be happy to verify feasibility and make an offer.



Worktops by reference

The worktops in the following page can be ordered by reference, but they are just examples of what we can realize by welding together our sinks and hobs, in order to obtain a sole integrated stainless worktop.

Finishes

The stainless steel finish is the real trademark of Foster. A distinctive element which couples aesthetics and functionality, and underscores a continuous research for the best ergonomics and practicality of use.

Foster Brushed

The surface has a brilliant satin look. The very low superficial ruggedness makes it very easy to clean. **It's a perfect match with all the Foster built-in products**.

Scotch Brite

Standard finish obtained by brushing, it's the most common among the uniform finishes.

Vintage

Matt finish, obtained by a distinctive irregular finish which gives a "used" look to the surface. It can be partially obtained also on washing and cooking areas.

Nebel

Matt and irregular finish, obtained by a complex procedure of mechanical erosion. Very high hardness.
It can be partially obtained also on washing and cooking areas.

Worktops by reference

3591 901 - sink on the right
3591 902 - sink on the left
AISI 304 Stainless steel worktop Foster
Brushed finish
dimension: 120" x 25 19/32" - thickness: 15/32"
structure reinforcements: aluminum honeycomb

Welded Leonardo sink - 46 21/32" x 14 23/32"

integrated Milano gas cooker hob - code 7638 900



3592 901 - sink on the right
3592 902 - sink on the left
AISI 304 Stainless steel worktop Foster
Brushed finish
dimension: 120" x 25 19/32" - thickness: 15/32"
structure reinforcements: aluminum honeycomb

Welded Leonardo sink - 46 21/32" x 14 23/32"

integrated Milano induction hob - code 7334 945



3593 901 - sink on the right
3593 902 - sink on the left
AISI 304 Stainless steel worktop Foster
Brushed finish
dimension: 120" x 25 19/32" - thickness: 15/32"
structure reinforcements: aluminum honeycomb

Welded Leonardo sink - 46 21/32" x 14 23/32"

integrated Milano induction hob - code 7390 945



Foster

Italian excellency since 1973

Ranges

Cucinotta Range 6b - 48”x 27”
7166 900

dimensions: 47 7/8” x 27” x 35 53/64”
AISI 304 Stainless steel
Satin finish



Rangetop specifications
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 64,200 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz

Oven specifications
30” Multifunction pyrolytic oven
Capacity: 4.1 CU.FT
Stainless steel satin finish
Dual fan system
Electronic programming
12 cooking function
Pyrolytic self clean
Meat probe temperature control
Electronic temperature regulation
Triple asymmetrical lighting
Automatic fast preheat
Preheat time bar (25%, 50%, 75%, 100%)
Preset/last used temperature memory
Keyboard lock
Child lock door
Sabbath mode
°C/°F degree unit
12/24 hours clock format
Door glasses: 4 heat resistant glasses
Door inner side: full glass

Delivered accessories
2 chromed racks
Telescopic chromed rack
Enamelled grill set
Meat Probe
Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz

Foster
Italian excellence since 1973

Cucinotta Range 4b - 48”x 27”
7154 900

dimensions: 47 7/8” x 27” x 35 53/64”
AISI 304 Stainless steel
Satin finish



Rangetop specifications
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 39,600 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz

Oven specifications
30” Multifunction pyrolytic oven
Capacity: 4.1 CU.FT
Stainless steel satin finish
Dual fan system
Electronic programming
12 cooking function
Pyrolytic self clean
Meat probe temperature control
Electronic temperature regulation
Triple asymmetrical lighting
Automatic fast preheat
Preheat time bar (25%, 50%, 75%, 100%)
Preset/last used temperature memory
Keyboard lock
Child lock door
Sabbath mode
°C/°F degree unit
12/24 hours clock format
Door glasses: 4 heat resistant glasses
Door inner side: full glass

Delivered accessories
2 chromed racks
Telescopic chromed rack
Enamelled grill set
Meat Probe
Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz

Foster
Italian excellence since 1973

Project Range

Project Range 5b - 36”x 27”
7269 900

dimensions: 35 55/64” x 27” x 35 53/64”
AISI 304 Stainless steel
Satin finish



Rangetop specifications
Enamelled cast iron grids and burner covers
Electric under-knob ignition
Gas taps with safety valves
Power: 31.600 BTU total
LP Gas conversion kit included
Electrical Supply: 120VAC - 60Hz

Oven specifications
30x30” Pyrolytic multifunctional oven
Antitouch - Satin finish St. Steel
Eight Cooking Functions
Electronic/Knobs Control
Pyrolytic self clean
Door lock
°C/°F Temperature setting
7 Cooking Functions
Usable capacity 106 litres - 3,75 CuFt
Dark gray pyrolytic enamel cavity finish
Six Rack positions
Triple asymmetrical halogen (20W) lighting
Four heat resistant glasses
Satin finish Stainless steel handle

Delivered accessories
1 Chromed rack
1 Enamelled tray
1 Antisplash
Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz

Foster
Italian excellence since 1973

Foster Milano Induction Range - 48”x 27”
7170 900

dimensions: 47 7/8” x 27” x 35 53/64”
AISI 304 Stainless steel
Satin finish



Rangetop specifications
AISI 304 Stainless steel - Satin finish
Induction cooker hob:
9 settings plus powerboost
5 slider commands
Bridge function
T-chef function
Pause and Recall
Independent timer
Security lock
Residual heat light
Overflow detection
4 zones size 7x8" 1 zone size 7x10"
power 1.900-2.200 W (3.400-3.900 Booster)
1 zone size 7x10"
power 2.400-2.800 W (5.000-5.800 Booster)
Electrical supply:
208-240V - 50/60 Hz

Oven specifications
30” Multifunction pyrolytic oven
Capacity: 4.1 CU.FT
Stainless steel satin finish
Dual fan system
Electronic programming
12 cooking function
Pyrolytic self clean
Meat probe temperature control
Electronic temperature regulation
Triple asymmetrical lighting
Automatic fast preheat
Preheat time bar (25%, 50%, 75%, 100%)
Preset/last used temperature memory
Keyboard lock
Child lock door
Sabbath mode
°C/°F degree unit
12/24 hours clock format
Door glasses: 4 heat resistant glasses
Door inner side: full glass
Delivered accessories
2 chromed racks
Telescopic chromed rack
Enamelled grill set
Meat Probe
Electrical Supply: 120/240VAC - 60Hz
120/208VAC - 60Hz

Accessories

5 8210 008
Induction Pro pot set

Foster Milano Free-standing Washing Center

Foster Milano washing center - 48”x 27”
7153 900

Dimensions: 47 7/8” x 27” x 35 53/64”
AISI 304 Stainless steel
Satin finish

Sink specifications:
Bowl: 30”x 15 6/8”
Waste fitting: SPACE 3 1/2”
Three tap holes



Accessories

M4 8656 001

N4 8644 100

P2 8159 101



T2 8100 303

Z2 8151 000

4B 8146 000
Four-bin kit
for separate waste collection

Foster
Italian excellence since 1973

Worktop complements

Totem
Extractable socket-holder tower
8000 111

- 3 US sockets
- 1 USB port for charging

Power cable supplied
With brushed stainless steel cap

Cutout: 4 1/64 ″
Top thickness: max 5 ″



Foster
Italian excellence since 1973

Foster After Sales and Parts Service US

Foster After Sales and Parts Service
7575 E Redield Rd #129, Scottsdale, AZ 85260
telephone: (844) 639 6001 - fax: (480) 998 7877
email: foster@adcoservice.com

This publication is for international use. The features are purely guideline. We reserve the right to modify them at any moment without notice. The Foster Organization will be pleased to provide further details and updates about the products and services. © Foster spa. Not to be reproduced wholly or in part without written permission of Foster spa.

Realized in collaboration with Maxistudio.net
July 2019

Foster management system is ISO 9001:2015 certified

Registration number CH-36474

FOSTER MILANO INC IS A COMPANY OF FOSTER SPA GROUP
Foster spa – Via M. S. Ottone, 18/20 - 42041 Brescello (Re) Italy
Tel. +39 0522 687425 - E-mail: info@fosterspa.com
www.fosterspa.com

Foster Milano Inc
1801 Ne 123Rd Street, Suite 314 – North Miami, Florida 33181
Telephone: +1 (954) 489 9009 – info@foster-us.com - www. foster-us.com